



Federal Communications Commission

Approved by OMB
3060-0999
See instructions for
public burden estimate.

Hearing Aid Compatibility Status Report (FCC Form 655)

Reporting Period: January 1, 2015 - December 31, 2015

Filing Confirmation Number: 0007095053

Filing Deadline: January 15, 2016

FRN: 0020927323

Filing Date: 01/13/2016 11:57 AM

General Report Information

Type of Company

Service Provider

De Minimis Exception

Did you offer any handsets to subscribers in the United States during the reporting period? Yes

Have you been offering handsets in the United States for at least three years prior to the end of the reporting period? Yes

Date that you began offering handsets in the United States

Are you a small entity? Yes

Were you a small entity at any time during the three years prior to the end of the reporting period?

Date that you ceased to be a small entity?

Company Information

Company Name: Flash Wireless, LLC

Brand Names: Samsung
Kyocera
Apple
Motorola
HTC

PO Box:

Street Address: 1000 Progress Place

City: Concord

State: NC

Zip Code: 28025

Contact Name: Jeff Myers

Contact Phone: (704) 260-3313

Contact Fax: (704) 260-3038

Contact Email: jeff.myers@acninc.com

Filing Agent

Is this report being filed by an agent on behalf of a manufacturer or service provider? No

Product Labeling

Do all hearing aid-compatible handsets include labeling? Yes

Explain:

Do all hearing aid-compatible handsets that were tested under ANSI C63.19-2007, and that are capable of voice communication over any air interface or frequency band that does not have hearing aid compatibility technical standards under ANSI C63.19-2007, include the required language disclosing that the handset has not been rated for hearing aid compatibility with respect to such operation?

N/A

Explain:

Do all hearing aid-compatible handsets that were certified only under ANSI C63.19-2007, but that the manufacturer also tested and found not to meet hearing aid compatibility requirements under ANSI C63.19-2011 for one or more operations that are not covered under ANSI C63.19-2007, include language informing users by clear and effective means that the handset does not meet the relevant rating or ratings with respect to such operation(s)?

N/A

Explain:

Do all handsets that are capable of use for Voice over LTE, and that were certified for inductive coupling capability under ANSI C63.19-2011 without being tested for inductive coupling capability over VoLTE, include language disclosing that they were not tested with respect to this operation?

N/A

Explain:

Do all handsets that meet the criteria for an M3 rating by allowing the user to reduce the maximum power for GSM operation in the 1900 MHz band include the required disclosure?

Yes

Explain:

Public Website

Does your company maintain a public website describing all hearing aid-compatible models, the ratings of those models, and an explanation of the rating system? Service provider websites must include the levels of functionality that the service provider has defined, the level that each hearing aid-compatible model falls under, and an explanation of how the functionality of the handsets varies at the different levels.

Yes

Website address: <https://shop.flashwireless.com/fwire/support/hearing-aid-compatibility>

Explain:

Consumer Outreach

Describe consumer outreach efforts in the past 12 months: Website publication:
<https://shop.flashwireless.com/fwire/support/hearing-aid-compatibility>

Methodology for Functionality Levels

Describe the methodology used to determine levels of functionality:

Report Remarks

You have reported the following handset model summary information.

Total number of handsets offered: 23

Air Interface	Fully Hearing Aid Compatible		Acoustic Coupling Compatible Only		Non-Compliant Handsets		Total by Air Interface
	Number	Percent	Number	Percent	Number	Percent	
GSM	7	100%					7
CDMA	19	83%	3	13%	1	4%	23

Handset 1: Apple iPhone 5c

Handset Maker

Apple

Handset Model Name

iPhone 5c

FCC ID

BCG-E2599A

Air Interfaces/Frequency Bands

700 MHz GSM
700 MHz CDMA
800 MHz GSM
800 MHz CDMA
850 MHz GSM
850 MHz CDMA
900 MHz GSM
900 MHz CDMA
1700 MHz GSM
1700 MHz CDMA
1800 MHz GSM
1800 MHz CDMA
1900 MHz GSM
1900 MHz CDMA
2100 MHz GSM
2100 MHz CDMA

Dates

This handset model was offered from: 02/15 to 12/15

Ratings

M-Rating: M3

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? Y

Functionality Level

SMARTPHONE

Remarks

NONE

Handset 2: Apple iPhone 5s

Handset Maker

Apple

Handset Model Name

iPhone 5s

FCC ID

BCG-E2599A

Air Interfaces/Frequency Bands

700 MHz GSM
700 MHz CDMA
800 MHz GSM
800 MHz CDMA
850 MHz GSM
850 MHz CDMA
900 MHz GSM
900 MHz CDMA
1700 MHz GSM
1700 MHz CDMA
1800 MHz GSM
1800 MHz CDMA
1900 MHz GSM
1900 MHz CDMA
2100 MHz GSM
2100 MHz CDMA

Dates

This handset model was offered from: 02/15 to 12/15

Ratings

M-Rating: M3

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? Y

Functionality Level

SMARTPHONE

Remarks

NONE

Handset 3: Apple iPhone 6

Handset Maker

Apple

Handset Model Name

iPhone 6

FCC ID

BCG-E2817A

Air Interfaces/Frequency Bands

700 MHz GSM
700 MHz CDMA
800 MHz GSM
800 MHz CDMA
850 MHz GSM
850 MHz CDMA
900 MHz GSM
900 MHz CDMA
1700 MHz GSM
1700 MHz CDMA
1800 MHz GSM
1800 MHz CDMA
1900 MHz GSM
1900 MHz CDMA
2100 MHz GSM
2100 MHz CDMA

Dates

This handset model was offered from: 06/15 to 12/15

Ratings

M-Rating: M3

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? Y

Functionality Level

SMARTPHONE

Remarks

NONE

Handset 4: Apple iPhone6P

Handset Maker

Apple

Handset Model Name

iPhone6P

FCC ID

BCG-E2817A

Air Interfaces/Frequency Bands

700 MHz GSM
700 MHz CDMA
800 MHz GSM
800 MHz CDMA
850 MHz GSM
850 MHz CDMA
900 MHz GSM
900 MHz CDMA
1700 MHz GSM
1700 MHz CDMA
1800 MHz GSM
1800 MHz CDMA
1900 MHz GSM
1900 MHz CDMA
2100 MHz GSM
2100 MHz CDMA

Dates

This handset model was offered from: 06/15 to 12/15

Ratings

M-Rating: M3

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? Y

Functionality Level

SMARTPHONE

Remarks

NONE

Handset 5: Apple V-IPHONE4B16GB-ACN

Handset Maker

Apple

Handset Model Name FCC ID

V-IPHONE4B16GB-ACN BCG-E2422A

Air Interfaces/Frequency Bands

800 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 01/13 to 12/15

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

SMARTPHONE

Remarks

NONE

Handset 6: Apple V-IPHONE4S-BLK-ACN

Handset Maker

Apple

Handset Model Name FCC ID

V-IPHONE4S-BLK-ACN BCG-E2430A

Air Interfaces/Frequency Bands

800 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 10/13 to 12/15

Ratings

M-Rating:

T-Rating:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

SMARTPHONE

Remarks

NONE

Handset 7: HTC APC801CWH-ACN**Handset Maker**

HTC

Handset Model Name**FCC ID**

APC801CWH-ACN

NM8PN07200

Air Interfaces/Frequency Bands

850 MHz GSM
850 MHz CDMA
900 MHz GSM
900 MHz CDMA
1900 MHz GSM
1900 MHz CDMA
2100 MHz GSM
2100 MHz CDMA

Dates

This handset model was offered from: 07/13 to 12/15

Ratings

M-Rating: M3

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? Y

Functionality Level

SMARTPHONE

Remarks

NONE

Handset 8: HTC APX325CKT-ACN

Handset Maker

HTC

Handset Model Name

APX325CKT-ACN

FCC ID

NM8PJ75100

Air Interfaces/Frequency Bands

850 MHz CDMA
900 MHz CDMA
1900 MHz CDMA
2100 MHz CDMA

Dates

This handset model was offered from: 08/13 to 12/15

Ratings

M-Rating: M3

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

SMARTPHONE

Remarks

NONE

Handset 9: HTC V-HTCADR6350-ACN

Handset Maker

HTC

Handset Model Name

V-HTCADR6350-ACN

FCC ID

NM8PG32100

Air Interfaces/Frequency Bands

800 MHz CDMA

1900 MHz CDMA

Dates

This handset model was offered from: 01/13 to 12/15

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

SMARTPHONE

Remarks

NONE

Handset 10: Huawei PCDN650KY-ACN

Handset Maker

Huawei

Handset Model Name

PCDN650KY-ACN

FCC ID

QISM650

Air Interfaces/Frequency Bands

800 MHz CDMA

1900 MHz CDMA

Dates

This handset model was offered from: 01/13 to 12/15

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

SMARTPHONE

Remarks

NONE

Handset 11: Kyocera KYS2151KIT-ACN

Handset Maker

Kyocera

Handset Model Name

KYS2151KIT-ACN

FCC ID

V65S2151

Air Interfaces/Frequency Bands

800 MHz CDMA

1900 MHz CDMA

Dates

This handset model was offered from: 10/13 to 12/15

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

SMARTPHONE

Remarks

NONE

Handset 12: Kyocera KYS3015GGY-ACN

Handset Maker

Kyocera

Handset Model Name

KYS3015GGY-ACN

FCC ID

V65S3015

Air Interfaces/Frequency Bands

800 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 01/13 to 12/15

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

MULTIMEDIA

Remarks

NONE

Handset 13: LG LG696KIT-ACN**Handset Maker**

LG

Handset Model Name**FCC ID**

LG696KIT-ACN

ZNFLS696

Air Interfaces/Frequency Bands

800 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 01/13 to 12/15

Ratings

M-Rating: M4

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

SMARTPHONE

Remarks

NONE

Handset 14: LG V-VN150REVERE-ACN

Handset Maker

LG

Handset Model Name FCC ID

V-VN150REVERE-ACN BEJVN150

Air Interfaces/Frequency Bands

800 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 02/14 to 12/15

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

MULTIMEDIA

Remarks

NONE

Handset 15: Motorola MOTOMB855-ACN

Handset Maker

Motorola

Handset Model Name FCC ID

MOTOMB855-ACN IHDP56MD1

Air Interfaces/Frequency Bands

850 MHz CDMA
900 MHz CDMA
1900 MHz CDMA
2100 MHz CDMA

Dates

This handset model was offered from: 01/13 to 12/15

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

SMARTPHONE

Remarks

NONE

Handset 16: Motorola V-MOTOXT862-ACN**Handset Maker**

Motorola

Handset Model Name**FCC ID**

V-MOTOXT862-ACN

IHDT56MF1

Air Interfaces/Frequency Bands

800 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 10/13 to 12/15

Ratings

M-Rating: M4

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

SMARTPHONE

Remarks

NONE

Handset 17: Samsung SPH-L300

Handset Maker

Samsung

Handset Model Name

SPH-L300

FCC ID

A3LSPHL300

Air Interfaces/Frequency Bands

850 MHz CDMA
900 MHz CDMA
1900 MHz CDMA
2100 MHz CDMA

Dates

This handset model was offered from: 03/13 to 12/15

Ratings

M-Rating: M4

T-Rating:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

SMARTPHONE

Remarks

NONE

Handset 18: Samsung SPH-L710

Handset Maker

Samsung

Handset Model Name

SPH-L710

FCC ID

A3LSPHL710

Air Interfaces/Frequency Bands

850 MHz CDMA
900 MHz CDMA
1900 MHz CDMA
2100 MHz CDMA

Dates

This handset model was offered from: 03/13 to 12/15

Ratings

M-Rating: M4

T-Rating:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

SMARTPHONE

Remarks

NONE

Handset 19: Samsung SPH-L720

Handset Maker

Samsung

Handset Model Name

SPH-L720

FCC ID

A3LSPHL720

Air Interfaces/Frequency Bands

850 MHz GSM
850 MHz CDMA
900 MHz GSM
900 MHz CDMA
1900 MHz GSM
1900 MHz CDMA
2100 MHz GSM
2100 MHz CDMA

Dates

This handset model was offered from: 07/13 to 12/15

Ratings

M-Rating: M3

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? Y

Functionality Level

SMARTPHONE

Remarks

NONE

Handset 20: Samsung SPH-L720T

Handset Maker

Samsung

Handset Model Name

SPH-L720T

FCC ID

A3LSPHL720

Air Interfaces/Frequency Bands

850 MHz GSM

850 MHz CDMA

900 MHz GSM

900 MHz CDMA

1900 MHz GSM

1900 MHz CDMA

2100 MHz GSM

2100 MHz CDMA

Dates

This handset model was offered from: 07/13 to 12/15

Ratings

M-Rating: M3

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? Y

Functionality Level

SMARTPHONE

Remarks

NONE

Handset 21: Samsung SPHL900GYS-ACN

Handset Maker

Samsung

Handset Model Name

SPHL900GYS-ACN

FCC ID

A3LSPHL900

Air Interfaces/Frequency Bands

850 MHz CDMA
900 MHz CDMA
1900 MHz CDMA
2100 MHz CDMA

Dates

This handset model was offered from: 05/13 to 12/15

Ratings

M-Rating: M4

T-Rating:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

SMARTPHONE

Remarks

NONE

Handset 22: Samsung V-R270BLK-ACN

Handset Maker

Samsung

Handset Model Name

V-R270BLK-ACN

FCC ID

A3LSCHR270

Air Interfaces/Frequency Bands

800 MHz CDMA

1900 MHz CDMA

Dates

This handset model was offered from: 05/13 to 12/15

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

MULTIMEDIA

Remarks

NONE

Handset 23: Samsung V-U365GUSTO2-ACN

Handset Maker

Samsung

Handset Model Name

V-U365GUSTO2-ACN

FCC ID

A3LSCHU365

Air Interfaces/Frequency Bands

800 MHz CDMA

1900 MHz CDMA

Dates

This handset model was offered from: 02/13 to 12/15

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

MULTIMEDIA

Remarks

NONE

Certification

This Report has been certified by:

Joe Hartman Sr. Transaction Tax Manager
01/13/2016 11:57 AM